

Going Up? Add some flavor to your tenants ride.

Let Mitsubishi entertain your passengers with information and graphics that are meaningful to your tenants: floor directories, advertisements and elevator operations.



10:41 AM Apr. 15

Indicators

Four types of traveling-direction indicators are available. Choose one that suits your elevator and building.







Colors

Select the best color from our five popular and eye-catching background colors









Features/

Display Image

2

Features

Language

Standard elevator information, and date and time are available in English





Optional Information

Enjoy video, DVD playback and television (NTSC/PAL) in an elevator.



Partial-screen



*No date and time indication in full-screen.

Display Image

Urban Black

Elevator information









Partial-screen









Full-screen









*

(US, UK or Singapore), Chinese, French, Japanese, Portuguese or Spanish.





Arrangement

The displays can be installed not only in elevators but also in elevator halls.





Emergency Information


In the case of an emergency, a warning message appears at the bottom of the screen with a yellow




Size

Two display sizes (10.4 or 15 inches) are available. Please refer to page six for details.

Stylish Blue information Partial-screen Full-screen İ





Full-screen

İ



İ

İ



W


4

Display Image


İ

System Configuration

Elevator and Optional Information



Elevator Information Only




Display Size

10.4-inch



Pixels: 800×600 (W×H)

15-inch



Pixels: 1024×768 (W×H)

*Actual screen size may vary with framework design.

Notice:

- In some cases, the elevator information display cannot be installed; for example, in a small elevator car or on a narrow car operating panel. Please consult one of our local agents for details.
- The screen layout shown in this brochure is standard. Please consult our local agents for different screen
- · In full-screen, direction and position indicators may fade into the background depending on the screen
- Some fonts are not available. Please consult one of our local agents for details.
- The elevator information display may not be viewable where the ambient brightness exceeds 1000 lux. Therefore, it is not suitable for observation elevators. (Preferable ambient brightness is 1000 lux or less.)
- · Content other than elevator information is not included in this product.

Use of Copyright Materials

Clearance and permission to use copyright materials are the responsibility of the customer, and must be obtained in advance of production. Mitsubishi Electric shall not be responsible for the misuse of copyrighted materials.

Visit the following website to try the simulation of this product.

http://www.mitsubishi-elevator.com/en/products/basic/elevators/lcd/index.html





Mitsubishi Electric Corporation Inazawa Works has acquired ISO 9001 certification from the International Organization for Standardization based on a review of quality

The plant has also acquired environmental management system standard ISO 14001 certification.



Eco Changes is the Mitsubishi Electric Group's environmental statement, and expresses the Group's stance on environmental management.

Through a wide range of businesses, we are helping contribute to the realization of a sustainable society.

MITSUBISHI ELECTRIC CORPORATION HEAD OFFICE : TOKYO BLDG., 2-7-3, MARUNOUCHI, CHIYODA-KU, TOKYO 100-8310, JAPAN

Visit our website at: http://www.MitsubishiElectric.com/elevator/

▲ Safety Tips: Be sure to read the instruction manual fully before using this product.